
Inline Syntax Highlight Sphinx Extension Documentation

Release 0.1

Kay-Uwe (Kiwi) Lorenz <kiwi@franka.dyndns.org>

Sep 27, 2017

Contents

1	Installation	3
2	Configuration	5

Docutils supports inline syntax highlighting through `code` directive and role. Sphinx does it in a different way. This results in the need of two pygments stylesheets for getting having both syntax highlightings (code blocks and inline code). And it is always also a matter of docutils and sphinx versions, because you need newest docutils installed, for supporting this.

This extension handles `literal` nodes like sphinx handles `literal_block` nodes and creates sphinx style syntax highlighting for inline code.

You can configure, if literals like ```this literal``` are also highlighted using `language`, set by `highlight` directive. You can also configure, if `code` is highlighted using `language` defined by `highlight` directive.

If you have not yet the docutils version installed, which provides role `code`, this extension provides it.

In this documentation both configuration values below are set to true. Then you can use this extension as follows:

```
.. highlight:: rst
```

```
.. role:: python(code)
   :language: python
```

```
.. role:: latex(code)
   :language: latex
```

Now here are latex command `:latex:``\setlength`` and python command `:python:``import``, created by ```:python:``import```. Here is a `:literal:``literal```, which stays a literal, and `:code:``.. highlight:: rst`` makes code role look as it looks.

Which is rendered as follows:

```
.. highlight:: rst
```

Now here are latex command `\setlength` and python command `import`, created by `:python:``import```. Here is a literal, which stays a literal, and `.. highlight:: rst` makes code role look as it looks.

CHAPTER 1

Installation

Get the package via pip:

```
pip install sphinxcontrib-inlinesyntaxhighlight
```

Sources are available at <http://bitbucket.org/klorenz/sphinxcontrib-inlinesyntaxhighlight>

Or refer to sphinx-contrib repository at <http://bitbucket.org/birkenfeld/sphinx-contrib>

inline_highlight_respect_highlight

This (boolean) setting triggers, if language, which is set by `highlight` directive, shall be used in `code` role, if no language is set by a customization. Then instead of:

```
.. role:: python(code)
   :language: py

this can :python:`trigger("python", "syntax highlight")`
```

Wich is rendered:

```
this can trigger("python", "syntax highlight")
```

You can also write:

```
.. highlight:: py

this can :code:`trigger("python", "syntax highlight")`
```

inline_highlight_literals

This (boolean) setting triggers, if ``literals`` shall be highlighted. Default is True.

If `inline_highlight_literals` is on, you can even write for example above:

```
.. highlight:: py

this can ``trigger("python", "syntax highlight")``
```


C

configuration value

 inline_highlight_literals, 5

 inline_highlight_respect_highlight, 5

I

inline_highlight_literals

 configuration value, 5

inline_highlight_respect_highlight

 configuration value, 5