
tdns

Release 0.2.0

June 06, 2016

1 Installation	3
2 Contents	5
2.1 tdns API	5
2.2 Version History	8
3 Issues	9
4 Source	11
5 Indices and tables	13

An asynchronous Tornado [pycares](#) DNS client wrapper, exporting the full API.

Installation

tdns is available from the [Python Package Index](#) and can be installed by running `pip install tdns`

Contents

2.1 tdns API

The `Channel` implements a Python class for interacting with the c-ares API using native Tornado asynchronous conventions. For example, to query the MX records for google you could use the following snippet:

```
from tornado import gen, ioloop, web
import tdns

class RequestHandler(web.RequestHandler):

    @gen.coroutine
    def get(self, *args, **kwargs):
        channel = tdns.Channel(io_loop=ioloop.IOLoop.current())
        response = yield channel.query('google.com', 'MX')
```

tdns is build on top of the excellent pycares library.

2.1.1 Ares Channel

`class tdns.Channel(io_loop=None, **kwargs)`

An asynchronous wrapper class for c-ares channels.

`cancel()`

Cancel any pending query on this channel. All pending requests will raise a `AresError` with the `ARES_ECANCELLED` errorno.

Raises `AresError`

`destroy()`

Destroy the channel. All pending requests will raise a `AresError` with the `ARES_EDESTRUCTION` errorno.

Raises `AresError`

`gethostbyaddr(addr)`

Retrieves the host information corresponding to a network address.

Parameters `addr (str)` – Network address to query

Return type `str`

Raises `AresError`

gethostbyname (*name, family*)

Retrieves host information corresponding to a host name from a host database.

Parameters

- **name** (*str*) – Name to query
- **family** (*int*) – Socket family

Raises AresError**getnameinfo** (*name, port, flags*)

Provides protocol-independent name resolution from an address to a host name and from a port number to the service name.

Parameters

- **name** (*str*) – Name to query
- **port** (*int*) – Port of the service to query
- **flags** (*int*) – Query flags, see the NI flags section

Raises AresError**query** (*name, query_type*)

Do a DNS query of the specified type. Available types:

- `tdns.QUERY_TYPE_A`
- `tdns.QUERY_TYPE_AAAA`
- `tdns.QUERY_TYPE_CNAME`
- `tdns.QUERY_TYPE_MX`
- `tdns.QUERY_TYPE_NAPTR`
- `tdns.QUERY_TYPE_NS`
- `tdns.QUERY_TYPE_PTR`
- `tdns.QUERY_TYPE_SOA`
- `tdns.QUERY_TYPE_SRV`
- `tdns.QUERY_TYPE_TXT`

Parameters

- **name** (*str*) – Name to query
- **query_type** (*int*) – Type of query to perform.

Return Types:

- A and AAAA: `ares_query_simple_result`, fields:

- host
 - ttl

- CNAME: `ares_query_cname_result`, fields:

- cname
 - ttl

- MX: `ares_query_mx_result`, fields:

- host
- priority
- ttl

- NAPTR: ares_query_naptr_result, fields:
 - order
 - preference
 - flags
 - service
 - regex
 - replacement
 - ttl

- NS: ares_query_ns_result, fields:
 - host
 - ttl

- PTR: ares_query_ptr_result, fields:
 - name
 - ttl

- SOA: ares_query_soa_result, fields:
 - nsmane
 - hostmaster
 - serial
 - refresh
 - retry
 - expires
 - minttl
 - ttl

- SRV: ares_query_srv_result, fields:
 - host
 - port
 - priority
 - weight
 - ttl

- TXT: ares_query_txt_result, fields:
 - text
 - ttl

Raises AresError

servers

List of nameservers to use for DNS queries

Return type list

set_local_dev(*local_dev*)

Set the local ethernet device from which the queries will be sent.

Parameters **local_dev** (*str*) – Network device name

Raises AresError

Raises ValueError

set_local_ip(*local_ip*)

Set the local IPv4 or IPv6 address from which the queries will be sent.

Parameters **local_ip** (*str*) – IP address

Raises AresError

Raises ValueError

timeout(*max_timeout*)

Set the maximum time for which the caller should wait before invoking process_fd to process timeouts. If the *max_timeout* parameter is specified, it is stored on the channel and the appropriate value is then returned.

Parameters **max_timeout** (*float*) – Maximum timeout

Return type float

Raises AresError

Raises ValueError

2.1.2 Utility Functions

`tdns.reverse_address(ip_address)`

Returns the reversed representation of an IP address, usually used when doing PTR queries.

Parameters **ip_address** (*str*) – IP address to be reversed

Return type str

2.2 Version History

- 0.2.0 - released 2016-06-06
 - exported constants from pycares errno
- 0.1.0 - released 2016-04-27
 - initial version

Issues

Please report any issues to the Github repo at <https://github.com/gmr/tdns/issues>

Source

tdns source is available on Github at <https://github.com/gmr/tdns>

Indices and tables

- genindex
- modindex
- search

C

`cancel()` (`tdns.Channel` method), [5](#)
`Channel` (class in `tdns`), [5](#)

D

`destroy()` (`tdns.Channel` method), [5](#)

G

`gethostbyaddr()` (`tdns.Channel` method), [5](#)
`gethostbyname()` (`tdns.Channel` method), [5](#)
`getnameinfo()` (`tdns.Channel` method), [6](#)

Q

`query()` (`tdns.Channel` method), [6](#)

R

`reverse_address()` (in module `tdns`), [8](#)

S

`servers` (`tdns.Channel` attribute), [8](#)
`set_local_dev()` (`tdns.Channel` method), [8](#)
`set_local_ip()` (`tdns.Channel` method), [8](#)

T

`timeout()` (`tdns.Channel` method), [8](#)