
Tv Renamr Documentation

Release 3.6.2

George Hickman

Apr 18, 2017

Contents

1	Contents
----------	-----------------

3

A command line utility to rename TV show files into a cleaner format.

Installation

Requirements

- Python 2.7+, Python 3.3+
- The Interwebs

Python Package Index

Install Tv Renamr with your favourite Python package manager. We recommend [pipsi](#) to avoid polluting your global env.

```
pipsi install tvrenamr
```

However if you're more comfortable with pip that will also work:

```
pip install tvrenamr
```

Note: You might need to be an administrator to do this.

A nice shiny `tvr` script is now installed in the relevant directory on your python path.

Note: If you don't have pip installed you'll get an error message. Instructions on how to install pip can be found [here](#).

Source: GitHub

```
git clone https://github.com/ghickman/tvrenamr.git
cd tvrenamr
pip install -e .
```

Warning: You may probably need to be an administrator to run the `python setup.py install` line.

Usage

In your favourite terminal rename a specific file:

```
$ tvr file
```

or a folder of files:

```
$ tvr folder
```

or files with a specific extension:

```
$ tvr *.mkv
```

or files in the current directory:

```
$ tvr
```

Options

Tv Renamr accepts the following options which take precedent over any options set in the *Config*.

--config	Select a location for your config file. If the path is invalid the default locations will be used.
--copy	Copy instead of moving the files.
--no-copy	Explicitly tell Tv Renamr not to copy instead of moving the files. Used to override the config.
-c, --canonical	Set the show's canonical name to use when performing the online lookup.
-d, --dry-run	Dry run your renaming.
-e, --episode	Set the episode number. Currently this will cause errors when working with more than one file.
--history	Display a list of shows renamed using the system pager.
--ignore-recursive	Only use files from the root of a given directory, not entering any sub-directories.
--log-file	Set the log file location.
-l, --log-level	Set the log level. Options: short, minimal, info and debug.
-n, --name	Set the episode's name.
--no-cache	Force all renames to ignore the cache.

-o, --output	Set the output format for the episodes being renamed.
--organise	Organise renamed files into folders based on their show name and season number.
--no-organise	Explicitly tell Tv Renamr not to organise renamed files. Used to override the config.
-p, --partial	Allow partial regex matching of the filename.
-q, --quiet	Don't output logs to the command line.
-r, --recursive	Recursively lookup files in a given directory.
--rename-dir	The directory to move renamed files to, if not specified the working directory is used.
--no-rename-dir	Explicitly tell Tv Renamr not to move renamed files. Used to override the config.
--regex	The regular expression to use when extracting information from files.
-s, --season	Set the season number.
--show	Set the show's name (will search for this name).
--show-override	Override the show's name (only replaces the show's name in the final file).
--specials	Set the show's specials folder (defaults to "Season 0").
--symlink	Create symbolic links instead of moving the files.
--no-symlink	Explicitly tell Tv Renamr not to create symlinks. Used to override the config.
-t, --the	Set the position of 'The' in a show's name to the end of the show name.

Examples

```
$ tvr
```

```
$ tvr --recursive /path/to/a/directory/
```

```
$ tvr --organise -r /path/to/a/directory/ /path/to/a/file.mkv
```

```
$ tvr --season 1 --name chuck /path/to/a/file/the_file.mkv
```

History

Use the history command to parse your logs for a list of files you've renamed:

```
$ tvr --history
```

Config

For ease of use Tv Renamr uses a config file. By default it looks for it in `~/.tvrenamr/config.yml`, an example is listed *below* which shows all the possible default values you can use.

Defaults

The defaults segment should be self-explanatory but I'll list them just for completeness. The listed values are the assumed defaults if any of the options are not added.

Copy

Copy instead of moving the files.

Boolean.

```
copy: true
```

Format

The output format for files to be renamed to.

```
format: '%n - %s%e - %t%x'
```

- %n: Show name
- %s: Season Number
- %e: Episode Number
- %t: Episode Title
- %x: Extension

Note: The extension part includes the period (.) part of the file's extension and is also optional.

Organise

Organise your files within the renamed directory.

```
organise: yes
```

Renamed

The directory to move your renamed files to.

```
renamed: /Volumes/Media/TV/
```

Symlink

Create symbolic links instead of moving the files.

Boolean.

```
symlink: true
```

The

If a show has a leading ‘The’, such as ‘The Big Bang Theory’, move it to the end of the show name, i.e. ‘Big Bang Theory, The’.

```
the: true
```

Tv Shows

Below the defaults are shows that won’t get renamed correctly using the default options. Taking CSI as the example you have:

```
csi:
  canonical: "CSI: Crime Scene Investigation"
  output: "CSI, Crime Scene Investigation"
```

Show Name

In the above example `csi` is used to match the show name in the downloaded file name, which might look something like this `csi.s10e01.blah.blah.avi`.

Canonical

The name used by the online database(s) for a show.

Since The TVDb lists CSI as *CSI: Crime Scene Investigation* the `canonical` option is used.

```
canonical: "CSI: Crime Scene Investigation"
```

Note: This method is the easiest way to deal with shows with a year in the name too, i.e. Castle (2009).

Output

The show name to use when writing the new filename.

The canonical show name contains a colon which most filesystems won’t play nice with

```
output: "CSI, Crime Scene Investigation"
```

Format

The output format to use when writing the new filename.

```
format: %n - %s%e
```

Warning: The colon (:) and comma (,) characters are reserved in YAML so must be quoted.

```
defaults:
  copy: false
  format: '%n - %s%e - %t%x'
  organise: yes
  renamed: /Volumes/Media/TV/
  symlink: true
  the: true

'24':
  format: '%n - %s%e'

american dad:
  canonical: American Dad!

castle 2009:
  canonical: Castle (2009)

csi:
  canonical: "CSI: Crime Scene Investigation"
  output: "CSI, Crime Scene Investigation"

doctor who 2005:
  canonical: Doctor Who (2005)

the it crowd:
  the: false

the simpsons:
  the: false

v 2009:
  canonical: V (2009)
  output: V
```

Logging and Command Line Output

The logging level for the log file is always debug, however the amount of information you see in your console can be modified. Use the `--log-level` option (`-l` for short) to select one of the output options:

- short
- minimal
- info
- debug

Given the filename `chuck.S01E02.avi` to rename, the log levels would show the following information:

Short

Renamed: “Chuck - 102 - Chuck Versus the Helicopter.avi”

Minimal

Renaming: chuck.S01E02.avi
Directory: /Volumes/Media/TV/Chuck/Season 1/
Renamed: "Chuck - 102 - Chuck Versus the Helicopter.avi"

Info

Renaming: chuck.S01E02.avi
Searching: chuck
Episode: Chuck Versus the Helicopter
Directory: /Volumes/Media/TV/Chuck/Season 1/
Renamed: "Chuck - 102 - Chuck Versus the Helicopter.avi"

Debug

```
2010-10-17 20:40 DEBUG Config Config loaded
2010-10-17 20:40 DEBUG Config Defaults retrieved
2010-10-17 20:40 SHORT Core Dry Run beginning.
2010-10-17 20:40 SHORT Core _____
2010-10-17 20:40 SHORT Core
2010-10-17 20:40 MINIMAL Core Renaming: chuck.S01E02.avi
2010-10-17 20:40 DEBUG Core Renaming using:
(?P<show>[ws.,_-]+).[Ss]?(?P<season>[d]{1,2})[XxEe]?(?P<episode>[d]{2})
2010-10-17 20:40 DEBUG Core Returned show: chuck, season: 01, episode: 02, extension: .avi
2010-10-17 20:40 DEBUG Core Imported The Tv Db library
2010-10-17 20:40 INFO The Tv DB Searching: chuck
2010-10-17 20:40 DEBUG The Tv DB Retrieving series id for chuck
2010-10-17 20:40 DEBUG The Tv DB Series url:
http://www.thetvdb.com/api/GetSeries.php?seriesname=chuck
2010-10-17 20:40 DEBUG The Tv DB XML: Attempting to parse
2010-10-17 20:40 DEBUG The Tv DB XML retrieved, searching for series
2010-10-17 20:40 DEBUG The Tv DB Series chosen: Chuck
2010-10-17 20:40 DEBUG The Tv DB Retrieved show id: 80348
2010-10-17 20:40 DEBUG The Tv DB Retrieved canonical show name: Chuck
2010-10-17 20:40 DEBUG The Tv DB Episode URL:
http://www.thetvdb.com/api/C4C424B4E9137AFD/series/80348/default/1/2/en.xml
2010-10-17 20:40 DEBUG The Tv DB Attempting to retrieve episode name
2010-10-17 20:40 DEBUG The Tv DB XML: Retrieved
2010-10-17 20:40 DEBUG The Tv DB XML: Attempting to parse
2010-10-17 20:40 DEBUG The Tv DB XML: Parsed
2010-10-17 20:40 DEBUG The Tv DB XML: Episode document retrived for Chuck - 0102
2010-10-17 20:40 DEBUG The Tv DB XML: Attempting to finding the episode name
2010-10-17 20:40 DEBUG The Tv DB Retrieved episode name: Chuck Versus the Helicopter
2010-10-17 20:40 INFO Core Episode: Chuck Versus the Helicopter
2010-10-17 20:40 DEBUG Error 'chuck' is not in the Config. Falling back on name extracted from the
filename
```

```
2010-10-17 20:40 DEBUG Core Using the formatted show name retrieved by the library: Chuck
2010-10-17 20:40 DEBUG Core Final show name: Chuck
2010-10-17 20:40 MINIMAL Core Directory: /Volumes/Media/TV/Chuck/Season 1/
2010-10-17 20:40 DEBUG Core Full path: /Volumes/Media/TV/Chuck/Season 1/Chuck - 102 - Chuck
Versus the Helicopter.avi
2010-10-17 20:40 MINIMAL Core Renamed: "Chuck - 102 - Chuck Versus the Helicopter.avi"
2010-10-17 20:40 SHORT Core
2010-10-17 20:40 SHORT Core _____
2010-10-17 20:40 SHORT Core Dry Run complete. No files were harmed in the process.
2010-10-17 20:40 SHORT Core
```

Debug will automatically perform a dry run rename since it was designed to be used for testing. However this is the format you will see in your log file, minus the dry run.

Custom Regular Expressions

By default TV Renamr will match shows in the formats:

- show.s0e00
- show.0x00

However you can specify custom regular expressions if your files aren't in either of these formats. Some custom regular expression syntax has been used to help you specify different parts of the filename:

- Show: %n - (?P<show>[\w\s.,_-]+)
- Season: %s - (?P<season>[\d]{1,2})
- Episode: %e - (?P<episode>[\d]{2})

It is also possible to specify how many digits there are in the season and episode sections of the filename using the syntax:

- Season: %s{n}
- Episode: %e{n}

where the n in {n} specifies how many digits are in each of the sections.

Note: All spaces are converted to periods before your regular expression is run.

Python regular expression syntax can be found [here](#).

Custom Output

It is possible to set a custom output format for your files using the `-o` command line option and the same syntax used with *Custom Regular Expressions*:

- %n - Show
- %s - Season
- %e - Episode
- %t - Title

- %x - Extension

Example

```
$ tvr -o "%s%e - %n - %t%x" chuck.S01E02.avi
```

Note: Not including the %x section on Windows systems can cause problems when trying to run your media files.

The -o option is equivalent to the format option in the *Config* which can be set for a show or in the defaults section.

Known Issues

Please report any bugs or feature requests to the issue tracker on [Github](#).

Colons

All colons : are converted to commas , in both the show name and the episode title. This stops issues that can arise with network shares and gives a cleaner format on windows where python replaces the colon character with a backslash \.

Years in Show Names

Shows with a year in the canonical title, i.e. Doctor Who (2005), will fail if this year isn't specified in the show name inside brackets. You'll need to set this as the canonical name in the config file.

More than One Episode in a File

Unfortunately this is not coped with at all. The first episode is usually picked up so the file will be renamed using this.

Changelog

v4.4.0

- Add option to copy files to destination thanks to @ata2001

v4.3.1

- Fix debug logging thanks to @ymage

v4.3.0

- Add symlink option support to the config thanks to @ata2001
- Fix -[no-]organise & -the arg parsing support thanks to @ata2001

v4.2.0

- Symlink support fixes for Windows & Python 2 thanks to @ata2001

v4.1.0

- Add symlink support thanks to @ata2001

v3.6.2

- Fix incorrect usage of *config.get* left over from previous fixes

v3.6.1

- Fix incorrect usage of *get_config*

v3.6.0

- Vendor dependencies
- Harden XML with defusedxml
- Switch to py.test for testing
- Rework frontend code for easier testing

v3.5.0

- Remove requirement on config

v3.4.11

- Fix bug when logging episode number that had been overridden

v3.4.10

- Fix bug with organise directory when no config is present

v3.4.9

- Fix 1080[p] and [Hh].264 breaking the season & episode searching regular expression

v3.4.8

- Fix ignored file list option default

v3.4.7

- Enable passing files *and* folders as paths to rename

v3.4.6

- Append to main log file instead of overwriting it
- Add some sane defaults for rotating the log file

v3.4.5

- Handle unicode in episode names

v3.4.4

- Fix specifying an episode on the command line

v3.4.3

- Improve the code that checks if tvr has everything needed to rename a file
- Handle seasons & episodes as numbers internally

v3.4.2

- Fix renaming shows with 720[p] in the filename

v3.4.1

- Fix partial regex support

v3.4.0

- Fix python 3 support in the tests
- Show IDs are now cached, cutting web requests by 50% for the majority of renames
- Tentative multiple episode file support. Hope to improve this over time
- Fix custom output format so it can use custom regex syntax

v3.3.3

- Add python 3 support!
- Fix python 2.6 support

v3.3.2

- Return destination filepath from a rename (useful for libs)

v3.3.1

- Tidy up so it can be used as a library too

v3.2.0

- Remove lxml and thus it's C building dependencies
- Tidy up the tests
- Clean up the library fallback logic and it's error handling

v3.1.0

- Show unhandled exceptions
- Provide a default filename format to fall back to
- Use Requests instead of urllib2
- Thanks to sampsy0 for his work on this release

v3.0.3

- Add documentation and push to Read the Docs
- Fix another silly typo. Regretting the state of the tests now...

v3.0.2

- Fix a silly naming bug that broke everything and brown bagged the last release.

v3.0.1

- Allow the use of apostrophes in the show name regular expression
- Allow the use of hyphen as a delimiter in the filename regular expression.
- Clean up the interface to the episode object for use in the front end.
- Use the correct variable name when retrieving the show name from an episode object.
- Give more sensible output when the config's defaults are missing.
- Return the correct error code when exiting from an error.

v3.0.0

- 720p episodes can now be renamed.
- Fallback to the other library if the first one can't find a tv show or episode. This feature also adds better support for new libraries.
- Added a command line option to override the show name when output to the filename.
- Can use forward slashes allowed in show names and episode titles.
- Use lxml as the xml library and add an extra check for empty xml files being returned from the library.
- Use an episode object to hold an episode's information during the rename process.