
txt2bootstrap Documentation

Release 2.0

Gil Goncalves

April 21, 2015

1	Description	1
2	Instructions	3
3	How to use	5
4	Ways to use it	7

Description

Translates one or many Text/Markdown/Rest/HTML to html with bootstrap

Instructions

Install it through pip:

```
pip install txt2bootstrap
```

Or, if you want to hack on this repo:

```
git clone https://github.com/LuRsT/txt2bootstrap
python setup.py install
```

There's no requirement, unless you want to view Markdown or ReST files, which if you do, you'll need to install each needed module:

```
Markdown files -> Markdown
ReST files      -> docutils
```

If you don't have any of them, the script will fallback to simple text, printing it directly inside the template with bootstrap included.

How to use

One file:

```
txt2bootstrap file.md
```

Multiple files:

```
txt2bootstrap file.md file.rst file.txt #...
```

Those commands will print the resulting HTML, you can then create a new file and open it in the browser:

```
txt2bootstrap file.md > file.html && firefox file.html
```

Or you can use the script `browser` (<https://gist.github.com/defunkt/318247>) to open it:

```
txt2bootstrap file.md | browser
```

Ways to use it

Joe is a writer who likes markdown and is not afraid of the terminal, so he writes his markdown file and previews it using this script, to check if he still remembers how to bold a word.

Rose is a front-end developer who wants a quick and dirty prototype, so she will write a simple html file not caring about the `<body>` or `<head>` tags or any of that gibberish and then view it using this script.

Michael is a pro developer who stumbled upon this script and actually found a bug so fixed it and sent a pull request.