

---

# **UKMDB Settings Documentation**

***Release 0.0.3***

**Markus Leist**

July 15, 2016



<b>1</b>	<b>UKMDB Settings</b>	<b>3</b>
1.1	Features . . . . .	3
1.2	Credits . . . . .	3
<b>2</b>	<b>Installation</b>	<b>5</b>
2.1	Stable release . . . . .	5
2.2	From sources . . . . .	5
<b>3</b>	<b>Usage</b>	<b>7</b>
<b>4</b>	<b>Contributing</b>	<b>9</b>
4.1	Types of Contributions . . . . .	9
4.2	Get Started! . . . . .	10
4.3	Pull Request Guidelines . . . . .	10
4.4	Tips . . . . .	11
<b>5</b>	<b>Credits</b>	<b>13</b>
5.1	Development Lead . . . . .	13
5.2	Contributors . . . . .	13
<b>6</b>	<b>History</b>	<b>15</b>
6.1	0.0.1 (2016-07-13) . . . . .	15
<b>7</b>	<b>Indices and tables</b>	<b>17</b>



Contents:



---

## UKMDB Settings

---

Settings module in context of UKMDB.

- Free software: GPLv3 license
- Documentation: [https://ukmdb\\_settings.readthedocs.org](https://ukmdb_settings.readthedocs.org).

### 1.1 Features

- TODO

### 1.2 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.





---

## Installation

---

### 2.1 Stable release

To install UKMDB Settings, run this command in your terminal:

```
$ pip install ukmdb_settings
```

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

### 2.2 From sources

The sources for UKMDB Settings can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/mleist/ukmdb_settings
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/mleist/ukmdb_settings/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```



---

### Usage

---

To use UKMDB Settings in a project:

```
import ukmdb_settings
```



---

## Contributing

---

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

### 4.1 Types of Contributions

#### 4.1.1 Report Bugs

Report bugs at [https://github.com/mleist/ukmdb\\_settings/issues](https://github.com/mleist/ukmdb_settings/issues).

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

#### 4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

#### 4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

#### 4.1.4 Write Documentation

UKMDB Settings could always use more documentation, whether as part of the official UKMDB Settings docs, in docstrings, or even on the web in blog posts, articles, and such.

#### 4.1.5 Submit Feedback

The best way to send feedback is to file an issue at [https://github.com/mleist/ukmdb\\_settings/issues](https://github.com/mleist/ukmdb_settings/issues).

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## 4.2 Get Started!

Ready to contribute? Here's how to set up *ukmdb\_settings* for local development.

1. Fork the *ukmdb\_settings* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/ukmdb_settings.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv ukmdb_settings
$ cd ukmdb_settings/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 ukmdb_settings tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## 4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.6, 2.7, 3.3, 3.4 and 3.5, and for PyPy. Check [https://travis-ci.org/mleist/ukmdb\\_settings/pull\\_requests](https://travis-ci.org/mleist/ukmdb_settings/pull_requests) and make sure that the tests pass for all supported Python versions.

## 4.4 Tips

To run a subset of tests:

```
$ py.test tests.test_ukmdb_settings
```





---

**Credits**

---

## 5.1 Development Lead

- Markus Leist <[markus@lei.st](mailto:markus@lei.st)>

## 5.2 Contributors

None yet. Why not be the first?



---

## History

---

### 6.1 0.0.1 (2016-07-13)

- First release on PyPI.



---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`