$\mathbf{unique}_i d_g en Documentation$ Release 0.1.0

Michael Navazhylau

Contents

1	unique_id_gen	3
	1.1 Features	
	1.2 Credits	3
2	Installation	5
	2.1 Stable release	4
	2.2 From sources	5
3	Usage	7
4	Contributing	9
	4.1 Types of Contributions	ç
	4.2 Get Started!	
	4.3 Pull Request Guidelines	10
	4.4 Tips	11
5	Indices and tables	13

Contents:

Contents 1

2 Contents

unique_id_gen

A package that generates unique randomized ids

- Free software: MIT license
- Documentation: https://unique-id-gen.readthedocs.io.

1.1 Features

• Takes a number and produces a short unique id off it.

1.2 Credits

This package was created with Cookiecutter and the audreyr/cookiecutter-pypackage project template.

Installation

2.1 Stable release

To install unique_id_gen, run this command in your terminal:

```
$ pip install unique_id_gen
```

This is the preferred method to install unique_id_gen, as it will always install the most recent stable release.

If you don't have pip installed, this Python installation guide can guide you through the process.

2.2 From sources

The sources for unique_id_gen can be downloaded from the Github repo.

You can either clone the public repository:

```
$ git clone git://github.com/mechasparrow/unique_id_gen
```

Or download the tarball:

```
$ curl -OL https://github.com/mechasparrow/unique_id_gen/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```

\sim	⊔ ∧	D	re	D	3
G	7	١P٦	ᇉ	к	J

Usage

To use unique_id_gen in a project:

import unique_id_gen

8 Chapter 3. Usage

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/mechasparrow/unique_id_gen/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with "bug" and "help wanted" is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with "enhancement" and "help wanted" is open to whoever wants to implement it.

4.1.4 Write Documentation

unique_id_gen could always use more documentation, whether as part of the official unique_id_gen docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/mechasparrow/unique_id_gen/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome:)

4.2 Get Started!

Ready to contribute? Here's how to set up unique_id_gen for local development.

- 1. Fork the unique_id_gen repo on GitHub.
- 2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/unique_id_gen.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv unique_id_gen
$ cd unique_id_gen/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 unique_id_gen tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.

- 2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
- 3. The pull request should work for Python 2.6, 2.7, 3.3, 3.4 and 3.5, and for PyPy. Check https://travisci.org/mechasparrow/unique_id_gen/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

\$ python -m unittest tests.test_unique_id_gen

4.4. Tips 11

CHAPTER 5

Indices and tables

- genindex
- modindex
- search