# walker Documentation

Release 0.0.2

D. Yu

September 13, 2014

#### Contents

1	walker           1.1         Installation           1.2         Usage	<b>3</b> 3 3
2	Installation	5
3	Usage	7
4	Contributing         4.1       Types of Contributions         4.2       Get Started!         4.3       Pull Request Guidelines         4.4       Tips         Credits         5.1       Development Lead	<ol> <li>9</li> <li>10</li> <li>10</li> <li>11</li> <li>13</li> <li>13</li> </ol>
	5.1 Development Lead	13
6	History	15
7	0.0.2 (2014-09-13)	17
8	0.0.1 (2014-09-13)	19
9	Indices and tables	21

Contents:

#### walker

Walker executes the same command on multiple directories.

- Free software: BSD license
- Documentation: https://walker.readthedocs.org.

### **1.1 Installation**

Walker can be installed from PyPI.

```
$ pip install walker
```

### 1.2 Usage

Walker only gets the immediate children of the current directory.

Here is an example of it showing showing the status of different git repositories:

```
$ walker git status
walker: in /home/dyu/src/couchdb-lucene
# On branch master
nothing to commit (working directory clean)
walker: in /home/dyu/src/dotfiles
# On branch master
# Changes not staged for commit:
    (use "git add <file>..." to update what will be committed)
#
    (use "git checkout -- <file>..." to discard changes in working directory)
#
#
#
                    gitignore_global
        modified:
#
no changes added to commit (use "git add" and/or "git commit -a")
walker: in /home/dyu/src/es
fatal: Not a git repository (or any of the parent directories): .git
```

Here is another example of it showing disk usage:

\$ walker du -cksh walker: in /home/dyu/src/cookiecutter 2.1M . 2.1M total walker: in /home/dyu/src/couchdb-lucene 145M • 145M total walker: in /home/dyu/src/dotfiles 588K . 588K total walker: in /home/dyu/src/es 245M • total 245M

# Installation

At the command line:

\$ easy\_install walker

#### Or, if you have virtualenvwrapper installed:

\$ mkvirtualenv walker
\$ pip install walker

# Usage

To use walker in a project:

import walker

### Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

# 4.1 Types of Contributions

#### 4.1.1 Report Bugs

Report bugs at https://github.com/darylyu/walker/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

#### 4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with "bug" is open to whoever wants to implement it.

#### 4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with "feature" is open to whoever wants to implement it.

#### 4.1.4 Write Documentation

walker could always use more documentation, whether as part of the official walker docs, in docstrings, or even on the web in blog posts, articles, and such.

#### 4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/darylyu/walker/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

#### 4.2 Get Started!

Ready to contribute? Here's how to set up walker for local development.

- 1. Fork the *walker* repo on GitHub.
- 2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/walker.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv walker
$ cd walker/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 walker tests
$ python setup.py test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

### 4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

- 1. The pull request should include tests.
- 2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
- 3. The pull request should work for Python 2.6, 2.7, 3.3, and 3.4, and for PyPy. Check https://travisci.org/darylyu/walker/pull\_requests and make sure that the tests pass for all supported Python versions.

# 4.4 Tips

To run a subset of tests:

\$ python -m unittest tests.test\_walker

# Credits

# 5.1 Development Lead

• 4. Yu <dyu+honeypot@fastmail.fm>

# 5.2 Contributors

None yet. Why not be the first?

# History

CHAPTER 7

0.0.2 (2014-09-13)

• Some clean up and half-hearted docs.

CHAPTER 8

0.0.1 (2014-09-13)

• First release on PyPI.

CHAPTER 9

Indices and tables

- genindex
- modindex
- search